



## Beam clamp M8 - TK10 - DIN1692

The Rofix beam clamp is extremely suitable for the solid fixing of various suspensions (e.g. sprinkler systems, pipelines, etc.) to a metal beam and this without drilling or welding. The fixing screw is selected in such a way that it prevents the clamp from sliding off the metal beam.



### General information

|                         |                                                            |
|-------------------------|------------------------------------------------------------|
| Product ID              | 50000171                                                   |
| GTIN                    | 5413574020599                                              |
| Manufacturer name       | Rofix                                                      |
| Manufacturer short name | Rofix                                                      |
| Manufacturer product ID | 50000171                                                   |
| Brand name              | ROFIX                                                      |
| Country of origin       | Belgium (BE)                                               |
| Product in stock        | No                                                         |
| Valid from              | 2000-01-01                                                 |
| Net length              | 0.18 m                                                     |
| Net width               | 0.19 m                                                     |
| Net height              | 0.135 m                                                    |
| Net weight              | 0.145 kg                                                   |
| Net volume              | 4.617 m <sup>3</sup>                                       |
| REACH indicator         | Does not contain any SVHC in excess of 0.1% product weight |
| REACH date              | 2021-09-15                                                 |
| Customs commodity code  | 73259910                                                   |

### ETIM description

|       |                             |
|-------|-----------------------------|
| Class | Beam clamp (EC000474)       |
| Group | Mounting systems (EG021005) |

|                                   |                                   |
|-----------------------------------|-----------------------------------|
| Model                             | With internal thread              |
| Horizontal mounting               | Yes                               |
| Vertical mounting                 | No                                |
| Material                          | Steel                             |
| Material quality                  | Cast steel                        |
| Surface protection                | Galvanic/electrolytic zinc plated |
| Thread type                       | Metric                            |
| Thread size (metric)              | 8                                 |
| Thread size connection 2 (metric) | 8                                 |
| Thread size (imperial)            | Not applicable                    |
| Thread per inch                   | Not applicable                    |
| Suitable for flange thickness     | 0..18 [mm]                        |
| Bore diameter                     | 8 [mm]                            |
| Tube/cable diameter               | Not applicable                    |
| Breaking load                     | Not applicable                    |
| Permitted work load               | 1200 [N]                          |

## Ordering information

|                       |       |
|-----------------------|-------|
| Order unit            | Piece |
| Minimum quantity      | 50    |
| Quantity interval     | 50    |
| Content unit          | Piece |
| Content unit quantity | 1     |

## Packing information

|                         |               |
|-------------------------|---------------|
| GTIN                    | 5413574020599 |
| Packing unit code       | Carton        |
| Quantity of order units | 50            |
| Length                  | 0.18000 m     |
| Width                   | 0.19000 m     |
| Height                  | 0.13500 m     |
| Weight                  | 7.433 kg      |

## Pricing information

|                  |            |
|------------------|------------|
| Price quantity   | 1          |
| Price on request | Yes        |
| Price currency   | EUR (Euro) |
| VAT              | 0.21       |
| Start date       | 2021-09-15 |

## Attachments

|                      |                                                                                                                                                                                                                             |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Main product picture | <a href="https://files.etim-mapper.com/rofix/Mounting Systems/Strut and Accessories/LR - Rofix - Beam clamp.jpg">https://files.etim-mapper.com/rofix/Mounting Systems/Strut and Accessories/LR - Rofix - Beam clamp.jpg</a> |
| Main product picture | <a href="https://files.etim-mapper.com/rofix/Mounting Systems/Strut and Accessories/HR - Rofix - Beam clamp.jpg">https://files.etim-mapper.com/rofix/Mounting Systems/Strut and Accessories/HR - Rofix - Beam clamp.jpg</a> |

## Product categories

|                |                                                   |
|----------------|---------------------------------------------------|
| Rofix Products | Rail and Accessories<br>Accessories<br>Beam Clamp |
|----------------|---------------------------------------------------|