




Double pipe clamp PE Ø 35mm - CD=65mm

For vertical fixing/mounting of galvanized tubes against the wall.

To be used in combination with a.o. Rofix double thread screw, Sadaro bracket, Bolt and nut double bracket.



General information

Product ID	40000154
GTIN	5413574088438
Manufacturer name	Rofix
Manufacturer short name	Rofix
Manufacturer product ID	40000154
Brand name	ROFIX
Country of origin	Belgium (BE)
Product in stock	No
Valid from	2000-01-01
Net length	0.265 m
Net width	0.215 m
Net height	0.21 m
Net weight	0.098 kg
Net volume	11.965 m ³
REACH indicator	Does not contain any SVHC in excess of 0.1% product weight
REACH date	2021-09-15
Customs commodity code	73079980

ETIM description

Class	Double pipe bracket (EC010094)
Group	Mounting material for ducts and pipes (EG020077)
Material pipe bracket	Steel
Outer pipe diameter	35..35 [mm]
Surface protection	Other
With one-strap bracket	No
Inlay	Other
Pipe distance adjustable	No
Pipe distance	65..65 [mm]
Wall distance adjustable	No
Wall distance	Not applicable
Connection facility	Pin
Pipe distance offset	No

Ordering information

Order unit	Piece
Minimum quantity	50
Quantity interval	50
Content unit	Piece
Content unit quantity	1

Packing information

GTIN	5413574088438
Packing unit code	Carton
Quantity of order units	50
Length	0.26500 m
Width	0.21500 m
Height	0.21000 m
Weight	5.183 kg

Pricing information

Price quantity	1
Price on request	Yes
Price currency	EUR (Euro)
VAT	0.21
Start date	2021-09-15

Attachments

Main product picture	https://files.etim-mapper.com/rofix/Mounting Systems/Pipe Fixations/LR - Rofix - Double pipe clamp - PE.jpg
----------------------	---

Main product picture	https://files.etim-mapper.com/rofix/Mounting Systems/Pipe Fixations/HR - Rofix - Double pipe clamp - PE.jpg
Main product picture	https://files.etim-mapper.com/rofix/Mounting Systems/Pipe Fixations/Drawing - Rofix - Double pipe clamp - PE.jpg

Product categories

Rofix Products	Plumbing Fasteners Double Insulated Clamps Double Insulated Clamps
----------------	--