




## Nylon plug F8

The CELO nylon plugs are ideal and efficient for fastening light to medium loads.

The standard plug is ideally suitable for solid base materials, but achieves also good load values in perforated bricks and aerated concrete. Due to the high expansion ability, the CELO standard plugs achieve high pull-out loads. Because of the very good screw guidance, the screw cannot move out of the plug during the screwing in. The wings at the plug cause a good twist resistance in the drill hole. In addition, the strong design prevents bending when hammered in. The plug consists of high quality and ageing resistant nylon.



## General information

|                         |                                                            |
|-------------------------|------------------------------------------------------------|
| Product ID              | 50000087                                                   |
| GTIN                    | 5413574022494                                              |
| Manufacturer name       | Rofix                                                      |
| Manufacturer short name | Rofix                                                      |
| Manufacturer product ID | 50000087                                                   |
| Brand name              | ROFIX                                                      |
| Country of origin       | Belgium (BE)                                               |
| Product in stock        | No                                                         |
| Valid from              | 2000-01-01                                                 |
| Net length              | 0.12 m                                                     |
| Net width               | 0.09 m                                                     |
| Net height              | 0.061 m                                                    |
| Net weight              | 0.001 kg                                                   |
| Net volume              | 0.659 m <sup>3</sup>                                       |
| REACH indicator         | Does not contain any SVHC in excess of 0.1% product weight |
| REACH date              | 2021-09-15                                                 |
| Customs commodity code  | 39259080                                                   |

## ETIM description

|                                     |                                            |
|-------------------------------------|--------------------------------------------|
| Class                               | All-purpose plug (EC000089)                |
| Group                               | Fasteners and anchoring systems (EG020045) |
| Model                               | Universal anchor plug                      |
| Length                              | 40 [mm]                                    |
| Drill hole diameter                 | 8 [mm]                                     |
| Drill hole depth                    | 45 [mm]                                    |
| Suitable for screw diameter         | 4.5..6 [mm]                                |
| Suitable for coach screw            | Yes                                        |
| With screw                          | No                                         |
| Material                            | Plastic                                    |
| Material quality                    | Other                                      |
| Surface protection                  | Other                                      |
| Colour                              | Grey                                       |
| With edge                           | No                                         |
| Suitable for calcium silicate brick | Yes                                        |
| Suitable for cellular concrete      | Yes                                        |
| Suitable for concrete               | Yes                                        |
| Suitable for fibre-/chipboard       | No                                         |
| Suitable for gas concrete           | Yes                                        |
| Suitable for natural stone          | Yes                                        |
| Suitable for gypsum-cardboard       | Yes                                        |
| Suitable for solid brick            | Yes                                        |
| Suitable for vertical coring brick  | Yes                                        |
| Suitable for wood                   | No                                         |
| Suitable for fixing with cable ties | No                                         |
| Push-through installation           | Yes                                        |
| Pre-positioned installation         | No                                         |
| Spaced installation                 | No                                         |

## Ordering information

|                       |       |
|-----------------------|-------|
| Order unit            | Piece |
| Minimum quantity      | 100   |
| Quantity interval     | 100   |
| Content unit          | Piece |
| Content unit quantity | 1     |

## Packing information

|                         |               |
|-------------------------|---------------|
| GTIN                    | 5413574022494 |
| Packing unit code       | Carton        |
| Quantity of order units | 100           |

|        |           |
|--------|-----------|
| Length | 0.12000 m |
| Width  | 0.09000 m |
| Height | 0.06100 m |
| Weight | 0.167 kg  |

## Pricing information

|                  |            |
|------------------|------------|
| Price quantity   | 1          |
| Price on request | Yes        |
| Price currency   | EUR (Euro) |
| VAT              | 0.21       |
| Start date       | 2021-09-15 |

## Attachments

|                      |                                                                                                                                                                                                                                                                     |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Main product picture | <a href="https://files.etim-mapper.com/rofix/Mounting Systems/Mounting Accessories/Mounting Accessories/LR - Rofix - Nylon Plug.jpg">https://files.etim-mapper.com/rofix/Mounting Systems/Mounting Accessories/Mounting Accessories/LR - Rofix - Nylon Plug.jpg</a> |
| Main product picture | <a href="https://files.etim-mapper.com/rofix/Mounting Systems/Mounting Accessories/Mounting Accessories/HR - Rofix - Nylon Plug.jpg">https://files.etim-mapper.com/rofix/Mounting Systems/Mounting Accessories/Mounting Accessories/HR - Rofix - Nylon Plug.jpg</a> |

## Product categories

|                |                                    |
|----------------|------------------------------------|
| Rofix Products | Mounting Accessories<br>Nylon plug |
|----------------|------------------------------------|