





Double copper pipe clamp Ø 22mm - L120mm

For vertical fixing/mounting of copper tubes against the wall.
Supplied with Rofix copper-plated mounting bolt M8



General information

Product ID	40000763
GTIN	5413574075193
Manufacturer name	Rofix
Manufacturer short name	Rofix
Manufacturer product ID	40000763
Brand name	ROFIX
Country of origin	Belgium (BE)
Product in stock	No
Valid from	2000-01-01
Net length	0.26 m
Net width	0.215 m
Net height	0.21 m
Net weight	0.12 kg
Net volume	11.739 m ³
REACH indicator	Does not contain any SVHC in excess of 0.1% product weight
REACH date	2021-09-15
Customs commodity code	73269098

ETIM description

Class	Double pipe bracket (EC010094)
Group	Mounting material for ducts and pipes (EG020077)
Material pipe bracket	Copper
Outer pipe diameter	22..22 [mm]
Surface protection	Other
With one-strap bracket	No
Inlay	Other
Pipe distance adjustable	No
Pipe distance	52..52 [mm]
Wall distance adjustable	No
Wall distance	Not applicable
Connection facility	Pin
Pipe distance offset	No

Ordering information

Order unit	Piece
Minimum quantity	50
Quantity interval	50
Content unit	Piece
Content unit quantity	1

Packing information

GTIN	5413574075193
Packing unit code	Carton
Quantity of order units	50
Length	0.26000 m
Width	0.21500 m
Height	0.21000 m
Weight	6.47 kg

Pricing information

Price quantity	1
Price on request	Yes
Price currency	EUR (Euro)
VAT	0.21
Start date	2021-09-15

Attachments

Main product picture	https://files.etim-mapper.com/rofix/Mounting Systems/Pipe Fixations/LR - Rofix - Double copper pipe clamp - PE - with mounting bolt.jpg
----------------------	---

Main product picture	https://files.etim-mapper.com/rofix/Mounting Systems/Pipe Fixations/HR - Rofix - Double copper pipe clamp - PE - with mounting bolt.jpg
Main product picture	https://files.etim-mapper.com/rofix/Mounting Systems/Pipe Fixations/Drawing - Rofix - Double copper pipe clamp - PE - with mounting bolt.jpg

Product categories

Rofix Products	Plumbing Fasteners Double Insulated Clamps Double insulated clamp in copper with screw
----------------	--