




Threaded rod M8x1000 4.8 zinc plated

The threaded rod is used to connect objects together, in combination with a nut. The threaded rod is threaded over its entire length. By using a connecting nut, 2 threaded rods/ends can also be connected to each other. Rofix offers threaded rods in lengths of 1 metre, but you can shorten them yourself to the desired size.



General information

Product ID	50000175
GTIN	5413574020230
Manufacturer name	Rofix
Manufacturer short name	Rofix
Manufacturer product ID	50000175
Brand name	ROFIX
Country of origin	Belgium (BE)
Product in stock	No
Valid from	2000-01-01
Net length	1 m
Net width	0.07 m
Net height	0.04 m
Net weight	0.3 kg
Net volume	2.8 m ³
REACH indicator	Does not contain any SVHC in excess of 0.1% product weight
REACH date	2021-09-15
Customs commodity code	73181542

ETIM description

Class	Threaded rod (EC000028)
-------	-------------------------

Group	Accessories/components for fasteners and anchoring systems (EG021006)
Material	Steel
Material quality	4.8 (steel)
Surface protection	Galvanic/electrolytic zinc plated
Layer thickness surface protection	Not applicable
Thread type	Metric
Thread size (metric)	8
Thread size (imperial)	Not applicable
Pitch thread	Not applicable
Thread per inch	Not applicable
Left-handed thread	No
Length	1000 [mm]

Ordering information

Order unit	Piece
Minimum quantity	50
Quantity interval	50
Content unit	Piece
Content unit quantity	1

Packing information

GTIN	5413574020230
Packing unit code	Pack
Quantity of order units	50
Length	1.00000 m
Width	0.07000 m
Height	0.04000 m
Weight	15 kg

Pricing information

Price quantity	1
Price on request	Yes
Price currency	EUR (Euro)
VAT	0.21
Start date	2021-09-15

Attachments

Main product picture	https://files.etim-mapper.com/rofix/Mounting Systems/Strut and Accessories/LR - Rofix - Threaded Rod.jpg
Main product picture	https://files.etim-mapper.com/rofix/Mounting Systems/Strut and Accessories/HR - Rofix - Threaded Rod.jpg

Product categories

Rofix Products	Rail and Accessories Accessories Threaded rod 4.8
----------------	---