



Flat eye screw M6x50

Available with metric and wood threads for fixing/building structures.
The flat eye screw can be used with or without a plug.



General information

Product ID	50000111
GTIN	5413574011061
Manufacturer name	Rofix
Manufacturer short name	Rofix
Manufacturer product ID	50000111
Brand name	ROFIX
Country of origin	Belgium (BE)
Product in stock	No
Valid from	2000-01-01
Net length	0.12 m
Net width	0.08 m
Net height	0.09 m
Net weight	0.022 kg
Net volume	0.864 m ³
REACH indicator	Does not contain any SVHC in excess of 0.1% product weight
REACH date	2021-09-15
Customs commodity code	73181900

ETIM description

Class	Eye bolt (EC002367)
-------	---------------------

Group	Accessories/components for fasteners and anchoring systems (EG021006)
Material	Steel
Material quality	Other
Surface protection	Galvanic/electrolytic zinc plated
Thread type	Metric
Thread size (metric)	6
Thread size (imperial)	Unknown
Pitch thread	1 [mm]
Thread per inch	Unknown
Full thread	No
Inner diameter of eye	6.5 [mm]
Max. load	Unknown
Swivelling	No

Ordering information

Order unit	Piece
Minimum quantity	100
Quantity interval	100
Content unit	Piece
Content unit quantity	1

Packing information

GTIN	5413574011061
Packing unit code	Carton
Quantity of order units	100
Length	0.12000 m
Width	0.08000 m
Height	0.09000 m
Weight	2.08 kg

Pricing information

Price quantity	1
Price on request	Yes
Price currency	EUR (Euro)
VAT	0.21
Start date	2021-09-15

Attachments

Main product picture	https://files.etim-mapper.com/rofix/Mounting Systems/Mounting Accessories/Mounting Accessories/LR - Rofix - Flat Eye Screw - 50000111.jpg
----------------------	---

Main product picture	https://files.etim-mapper.com/rofix/Mounting Systems/Mounting Accessories/Mounting Accessories/HR - Rofix - Flat Eye Screw - 50000111.jpg
Main product picture	https://files.etim-mapper.com/rofix/Mounting Systems/Mounting Accessories/Mounting Accessories/Drawing - Rofix - Flat Eye Screw - 50000111.jpeg

Product categories

Rofix Products	Mounting Accessories Flat eye screw
----------------	--