



Hexagonal nut M8

The Rofix hexagonal nuts ensure an optimal grip so that a lot of power can be applied. The nuts can be used both inside and outside. The hexagonal nuts have a metric dimension which means that they fit a bolt with the same thread size.



General information

Product ID	40000119
GTIN	5413574020650
Manufacturer name	Rofix
Manufacturer short name	Rofix
Manufacturer product ID	40000119
Brand name	ROFIX
Country of origin	Belgium (BE)
Product in stock	No
Valid from	2000-01-01
Net length	0.12 m
Net width	0.135 m
Net height	0.04 m
Net weight	0.004 kg
Net volume	0.648 m ³
REACH indicator	Does not contain any SVHC in excess of 0.1% product weight
REACH date	2021-09-15
Customs commodity code	73181631

ETIM description

Class	Nut (EC003863)
-------	----------------

Group	Fasteners and anchoring systems (EG020045)
Model	Nut
With flange	No
Weldable	No
Self-locking	No
With nylon ring	No
Screwing system	Outside hexagon
Material	Steel
Material quality	Other
Surface protection	Galvanic/electrolytic zinc plated
Thread size (metric)	8
Thread size (imperial)	Unknown
Wrench width	13 [mm]
Pitch thread	Unknown
Thread per inch	Unknown
Thread type	Metric
Left-handed thread	No
Height	6 [mm]
Outer diameter	14 [mm]
Colour	Zinc
RAL-number	Unknown
Halogen free	Yes

Ordering information

Order unit	Piece
Minimum quantity	100
Quantity interval	100
Content unit	Piece
Content unit quantity	1

Packing information

GTIN	5413574020650
Packing unit code	Bag
Quantity of order units	100
Length	0.12000 m
Width	0.13500 m
Height	0.04000 m
Weight	0.458 kg

Pricing information

Price quantity	1
----------------	---

Price on request	Yes
Price currency	EUR (Euro)
VAT	0.21
Start date	2021-09-15

Attachments

Main product picture	https://files.etim-mapper.com/rofix/Mounting Systems/Strut and Accessories/LR - Rofix - Hexagonal nut.jpg
Main product picture	https://files.etim-mapper.com/rofix/Mounting Systems/Strut and Accessories/HR - Rofix - Hexagonal nut.jpg

Product categories

Rofix Products	Rail and Accessories Accessories Hexagonal nut
----------------	--